## **VERTICAL MAST LIFT**



#### **16 FT. PLATFORM HEIGHT**

# VERTICAL VERSATILITY

#### AC Drive Motors

- Toyota Motor Controllers
- Zero Degree Inside Turning Radius
- Digital Monitor w/ On-Board Tuning
- Sliding Extension Deck



WM1630K



# **RAISE YOUR EXPECTATIONS**

**THE AICHI VERTICAL MAST LIFT.** These compact and versatile machines deliver an innovative solution for your tightfitting, high-reaching needs. They run longer and with precision travel that can't be matched by traditional DC or hydraulic drive systems. Thoughtful ergonomics and quality components keep workers productive and minimize maintenance costs for ultimate peace of mind.

### **AICHI VERTICAL MAST LIFT ADVANTAGES**

### **AC DRIVE MOTOR:**

BRUSHLESS MOTOR DESIGN REQUIRES LESS MAINTENANCE AND DELIVERS GREATER POWER AND LONGER BATTERY LIFE.

### ZERO-DEGREE INSIDE TURNING RADIUS:

Tight turning for intuitive, easy operation.

### DURABLE CONSTRUCTION:

Heavy-gauge steel panels and powder-coated paint make the AICHI Vertical Mast Lifts built to last.

### PLATFORM EXTENSION:

An additional 15 inches of platform length allows operators to reach across fixed objects for greater accessibility and flexibility.

### **TILT ALARM:**

Alarm and indicators alert operators to unsafe working conditions and platform movement is limited until proper operation is restored.

### **ANTI-ROLLBACK FUNCTION:**

WHEN A STEEP GRADE IS ENCOUNTERED THE BRAKE IS APPLIED TO PREVENT THE LIFT FROM ROLLING BACK DOWN A RAMP WHILE IN USE.

### ► 3-STAGE TELESCOPING MAST:

Mast with hydraulic cylinder and chain drive provides smooth operation and exceptional stability.

### ► EASY BATTERY ACCESS:

Quickly access batteries via the service panels on both sides, even with the platform lowered.

### ► UPPER CONTROL BOX:

Upper platform control box offers remote use for maneuvering the truck in tight spaces. Horn, battery discharge, and tilt alarm indicators ensure ease of use.

## RISE AND SHINE


The thoughtful design of the AICHI Vertical Mast Lift puts you in control and grants everything you need to get the job done quickly and efficiently. The ergonomic control handle and smooth AC drive motors allow for precise positioning of the lift in tight quarters. A standard 110V power outlet allows for convenient use of power tools and battery chargers. And an intuitively designed platform extension provides an additional 15 inches of working space, making it easier to safely reach across objects.

#### **MAINTENANCE MADE EASY**

Quality components such as the Toyota-designed and built motor controllers help to reduce your overall maintenance costs and improve uptime. The no-tools required, easy-access service panel covers and hydraulic oil level indicator make performing routine maintenance a breeze. Troubleshooting and programming is also effortlessly managed through the multifunction display on the lower control panel. ////ICHI

WM1630K

1-1-1



#### **OPTIONAL EQUIPMENT**

- LED work lights
- Fire extinguisher bracket
- Tool tray
- Parcel tray


- Fluorescent tube holder
- AGM maintenance free battery


### LIFT SPECIFICATIONS

IFT SPECIFICATIO	113	MODEL NUMBER	
DIMENSIONS AND WEIGHT			WM1630K
Overall Length		ft in (m)	4' 8" (1.42)
3 Overall Width		in (cm)	30 (76)
Overall Height		ft in (m)	6' 2" (1.88)
Vehicle Weight <sup>1</sup>		lb (kg)	2315 (1050)
Turning Radius (Inside)		deg	0
Turning Radius (Outside)		in (m)	50.4 (1.28)
Ground Clearance (Center of Wheelbase)		in (cm)	2.6 (6.5)
Ground Clearance (w/ Pothole Protectors Deployed)		in (cm)	0.63 (1.6)
Wheelbase		in (m)	39.6 (1.0)
Ground Bearing Pressure		psi	137.8
Tire Size (Diameter x Width)		in (cm)	12.7x3.9 (32.3x10)
Tread (Front and Rear)		in (cm)	26 (66)
ATFORM			WM1630K
Platform Capacity at Lift Height		lb at in (kg at m)	500 @ 189 (227 @ 4.81)
Platform Extension Capacity		lb (kg)	249 (113)
Platform Working Height		ft (m)	21' 9" (6.6)
Platform Height	Lowered	in (m)	1'10.5" (0.57)
	Elevated	ft (m)	15' 9" (4.81)
Platform Inner Length		in (cm)	38.6 (98)
Platform Extension Length		in (cm)	15 (38)
Platform Inner Width		in (cm)	23.2 (59)
Platform Railing Height		in (cm)	43.3 (110)
Number of Mast Stages		#	5
ERFORMANCE			WM1630K
Platform Lift/Lower Time		SEC	20/18
Max Travel Speed <sup>2,3</sup>	Lowered	mph (km/h)	3 (4.8)
	Elevated	mph (km/h)	0.5 (0.8)
Voltage		V	24
Drive & Steer System			Joystick with Steering Switch
Gradeability <sup>2,3</sup>		deg (%)	17° (30%)
Tire Type			Solid
Maximum Drive Height		ft (m)	15′ 9″ (4.81)
Lift Control System			Semi-Proportional

Weight information is approximate and does not take into account different option configurations or special designs
Function speeds and gradeability assume there is one person on the platform and the battery is fully charged
Travel speed and gradeability are subject to surface conditions and sufficient traction

### **EXTERIOR DIMENSIONS**





L



### **AICHI VERTICAL MAST LIFT**

- AICHI is a trusted worldwide aerial equipment manufacturer, renowned for its tradition of excellence and commitment to quality and efficiency.
- With 250,000 units sold worldwide since 1965 and a broad equipment range, AICHI has firmly established itself as a leading authority in aerial lifts. Over 50 years of business experience contributes to the company's success and expertise within the aerial work platform market.
- AICHI's industry-leading work is founded upon a tradition of excellence and a proven track record of innovation. Our implementation of thoughtful engineering considerations based on user feedback contribute to continued advancements like standard AC drive motors.
- AICHI's trusted brand joins Toyota's industry-leading network of dealers for product support to provide first-class customer service. Resources include factory-trained service technicians and flexible leasing and financing packages through Toyota Industries Commercial Finance.

For more information, including full specs, see your Toyota Dealer or visit **ToyotaForklift.com**.



A TOYOTA INDUSTRIES COMPANY

Some product features described or depicted herein are optional. Please consult your dealer for specifications. Details of specifications and equipment are based on information available at time of printing and may change without notice.